Product Catalog

HARDIK
INTERNATIONAL PVT. LTD.
House of Ortho Tools



SMALL AND LARGE FRAGMENT
IMPLANTS & INSTRUMENTS

www.hardikinternational.com

TABLE OF CONTENTS

Description of Products	Page No.
Small Fragment Locking Implants	01
Small Fragment Non-Locking Implants	15
Small Fragment Instruments	19
Small Fragment Implants & Instruments Sets	24
Large Fragment Locking Implants	33
Large Fragment Non-Locking Implants	40
Large Fragment Instruments	44
Large Fragment Implants & Instruments Sets	47

198 2.4mm Locking Compression Screws Star Head



LENGTH
10mm to 40mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

198V 2.4mm Variable Locking Compression Screws Star Head




LENGTH
10mm to 40mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

165 2.7mm Locking Compression Screws



LENGTH
10mm to 40mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

165V 2.7mm Variable Locking Compression Screws



LENGTH
10mm to 40mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

199 2.7mm Locking Compression Screws Star Head



LENGTH
10mm to 44mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

146 3.5mm Locking Compression Screws




LENGTH
10mm to 40mm (2mm Increment)
45mm to 90mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

146V 3.5mm Variable Locking Compression Screws



LENGTH
10mm to 40mm (2mm Increment)
45mm to 90mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

200 3.5mm Locking Compression Screws Star Head



LENGTH
10mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

200V 3.5mm Variable Locking Compression Screws Star Head



LENGTH
10mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

176 3.5mm Locking Cancellous Screws (Short Thread)



LENGTH
14mm to 30mm (2mm Increment)
35mm to 60mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

177 3.5mm Locking Cancellous Screws (Fully Thread)



LENGTH
14mm to 30mm (2mm Increment)
35mm to 60mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

147 4.0mm Locking Cancellous Screws (Short Thread)




LENGTH
14mm to 30mm (2mm Increment)
35mm to 60mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

148 4.0mm Locking Cancellous Screws (Fully Thread)




LENGTH
14mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

148A 4.0mm Locking Cancellous Screws (Fully Thread) (Self Tapping)




LENGTH
14mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

461 4.0mm Locking Cancellous Screws (Short Thread) Star Head



LENGTH
20mm to 30mm (2mm Increment)
35mm to 55mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

462 4.0mm Locking Cancellous Screws (Full Thread) Star Head



LENGTH
14mm to 30mm (2mm Increment)
35mm to 85mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium



160 Locking Superior Anterior Clavicle Plate 3.5mm



HOLES
6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

161 Locking Superior Anterior Clavicle Plate with Lateral Extension 3.5mm




HOLES
3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

162 Locking Clavicle Hook Plate 3.5mm



HOLES
4, 5, 6, 7
ANGLED
Left & Right
HOOK DEPTH
12mm, 15mm, 18mm
MATERIAL
Stainless Steel & Titanium









153 Locking Proximal Humeral Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
MATERIAL
Stainless Steel & Titanium

156 Locking Long Head Proximal Humeral Plate 3.5mm



HOLES
3, 4, 5, 6
MATERIAL
Stainless Steel & Titanium

156A Locking Long Head Proximal Humeral Plate 3.5mm (Broad)



HOLES
7, 8, 9, 10, 12, 14
MATERIAL
Stainless Steel & Titanium

157 Locking Distal Humeral Plate with Support 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

158 Locking Distal Humeral Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

159 Locking Medial Distal Humeral Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

178 Locking Medial Distal Humeral Metaphyseal Plate 3.5mm



HOLES
5, 6, 7, 8, 9, 10, 11
MATERIAL
Stainless Steel & Titanium

179 Locking Proximal Humeral Periarticular Plate 3.5mm



HOLES
2, 3, 4, 5, 6, 8, 10, 12
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

185 Locking Distal Humerus Extra Articular 3.5mm Plate



HOLES
4, 6, 8, 10, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

149 Small Locking Compression Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14
MATERIAL
Stainless Steel & Titanium

152 Locking Reconstruction Plate 3.5mm



HOLES
5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20
MATERIAL
Stainless Steel & Titanium



150 Locking Compression T Plate Right Angled 3.5mm



HOLES
3, 4, 5, 6, 7, 8
MATERIAL
Stainless Steel & Titanium

151 Locking Compression T Plate Oblique Angled 3.5mm



HOLES
3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

166 Locking Volar Distal Radius Plate 2.7mm



HOLES
3, 4, 5, 6
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

168 Locking XVA Volar Distal Radius Plate 2.7mm (Head 6hole) Narrow



HOLES
2, 3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

168A Locking XVA Volar Distal Radius Plate 2.7mm (Head 6hole)



HOLES
2, 3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

168B Locking XVA Volar Distal Radius Plate 2.7mm (Head 7hole)



HOLES
2, 3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

168C Locking XVA Volar Distal Radius Plate 3.5mm (Head 6hole)



HOLES
2, 3, 4, 5, 6, 7, 8
MATERIAL
Stainless Steel & Titanium

172 Locking Proximal Radius Neck Plate 2.7mm



HOLES
2, 3, 4
MATERIAL
Stainless Steel & Titanium

173 Locking Proximal Radius Rim Plate 2.7mm



HOLES
2, 3, 4
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

181A Locking Distal Radius Volar Rim Plate 2.4mm/2.7mm (Head 6hole)



HOLES
3, 4, 5
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

181B Locking Distal Radius Volar Rim Plate 2.4mm/2.7mm (Head 7hole)



HOLES
3, 4, 5
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

187 Locking Distal Radius Plate 2.7mm



HOLES
3, 5
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

188 Locking Distal Radius Buttress Plate 2.7mm (Head 5hole)



HOLES
3hole
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

189 Locking Distal Radius Plate 2.7mm Extra Articaular (Head 5hole)



HOLES
3, 5
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

190 Locking Distal Radius Plate 2.7mm Extra Articaular (Head 4hole)



HOLES
3, 5
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

191 Locking Distal Radius Plate 2.7mm Straight



HOLES
5, 6
MATERIAL
Stainless Steel & Titanium

192 Locking Distal Radius L Plate 2.7mm (Head 2hole)



HOLES
3, 4
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

193 Locking Distal Radius L Plate 2.7mm (Head 3hole)



HOLES
3, 4
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

194 Locking Distal Radius L Plate Oblique Angled 2.7mm (Head 3hole)




HOLES
3, 4
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

195 Locking Distal Radius T Plate 2.7mm (Head 3hole)



HOLES
3, 4
MATERIAL
Stainless Steel & Titanium

457 Locking One - Third Tubular Plate 3.5mm



HOLES
5, 6, 7, 8, 9, 10, 12
MATERIAL
Stainless Steel & Titanium

164 3.5mm Locking Hook Plate



HOLES
3, 4, 5, 6
MATERIAL
Stainless Steel & Titanium

169 Locking Distal Ulna Hook Plate 2.7mm



HOLES
3, 4, 5
MATERIAL
Stainless Steel

171 Locking Olecranon Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium



154 Locking Medial Distal Tibia Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

163 Locking Medial Distal Tibia Plate 3.5mm without tab



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

163V VA 2.7/3.5mm LCP Anteromedial Distal Tibial Plate



HOLES
4, 6, 8, 10, 12
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

174 Locking Anterolateral Distal Tibia Plate 3.5mm



HOLES
5, 6, 7, 8, 9, 10, 12, 14, 16
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

175 Locking Distal Febula Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

175A Locking Distal Febula Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

175B Locking XVA Distal Febula Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

182 Locking Posterior Medial Proximal Tibia Plate 3.5mm




HOLES
1hole to 10hole
MATERIAL
Stainless Steel & Titanium

184 3.5mm Locking Medial Proximal Tibia Plate




HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

196 Locking Anatomical Proximal Tibia Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

196V VA Locking Anatomical Proximal Tibia Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

197 Locking Proximal Tibia Plate 3.5mm



HOLES
4, 6, 8, 10, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

454 Locking PILON Tibia Plate 3.5mm



HOLES
7, 8, 9
MATERIAL
Stainless Steel

155 Locking Cloverleaf Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8
MATERIAL
Stainless Steel & Titanium

167 Locking Calcaneal Plate 3.5mm



SIZE
Small, Medium, Large, Extra Small
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

167A Locking Calcaneal Plate 3.5mm




SIZE
Small, Medium, Large, Extra Small
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

186 Locking Reconstruction (Thin) Plate 3.5mm




HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 20
MATERIAL
Stainless Steel & Titanium

457 Locking One - Third Tubular Plate 3.5mm



HOLES
5, 6, 7, 8, 9, 10, 12
MATERIAL
Stainless Steel & Titanium

101 Washer 7.0mm for Small Screws 7mm/3.6mm



SIZE
7.0mm
MATERIAL
Stainless Steel & Titanium

125 Washer 10.0mm For Small Screws 10mm/4.6mm



SIZE
10mm
MATERIAL
Stainless Steel & Titanium

459 2.4mm Cortex Screws (Self Tapping) Star Head



LENGTH
12mm to 40mm (2mm Increment)
MATERIAL
Stainless Steel & Titanium

075 2.7mm Cortex Screws (Self Tapping)
076 2.7mm Cortex Screws



LENGTH
08mm to 30mm (2mm Increment)
35mm to 40mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

458 2.7mm Cortex Screws (Self Tapping) Star Head



LENGTH
12mm to 30mm (2mm Increment)
35mm to 40mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

126 3.5mm Cortex Screws (20TPI)



LENGTH
10mm to 40mm (2mm Increment)
45mm to 60mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

127 3.5mm Cortex Screws (14TPI)




LENGTH
10mm to 40mm (2mm Increment)
45mm to 60mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

451 Cortex Screw 3.5mm (Self Tapping)



LENGTH
10mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

460 Cortex Screw 3.5mm (Self Tapping) Star Head




LENGTH
12mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

130 4.0mm Cancellous Screws (Short Thread)



LENGTH
12mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

131 4.0mm Cancellous Screws (Fully Thread)




LENGTH
12mm to 50mm (2mm Increment)
55mm to 70mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

463 4.0mm Cancellous Screws (Short Thread) Star Head



LENGTH
20mm to 30mm (2mm Increment)
35mm to 55mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

464 4.0mm Cancellous Screws (Full Thread) Star Head



LENGTH
20mm to 30mm (2mm Increment)
35mm to 85mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

077 2.7mm Reconstruction Straight Plate



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20
MATERIAL
Stainless Steel & Titanium

078 2.7mm DCP



HOLES
2, 3, 4, 5, 6, 7, 8, 10
MATERIAL
Stainless Steel & Titanium

102 2.7mm Quarter Tubular Plate



HOLES
4, 5, 6, 7, 8
MATERIAL
Stainless Steel & Titanium

103 2.7mm L - Plate



HOLES
2 + 2, 2 + 3, 2 + 4
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

104 2.7mm T Plate



HOLES
2 + 2, 2 + 3, 2 + 6
MATERIAL
Stainless Steel & Titanium

133 One - Third Tubular Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12
MATERIAL
Stainless Steel & Titanium

135 Small DCP 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 15, 16
MATERIAL
Stainless Steel & Titanium

136 Small LC-DCP 3.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14
MATERIAL
Stainless Steel & Titanium

138 Small T Plate, Right Angled 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10
MATERIAL
Stainless Steel & Titanium

139 Small T Plate, Oblique Angled 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10
MATERIAL
Stainless Steel & Titanium

140 Small T Plate, Right Angled 3.5mm (Head 4hole)



HOLES
3, 4, 5, 6, 7, 8
MATERIAL
Stainless Steel & Titanium

141 Reconstruction Plate Straight 3.5mm (DC Hole)



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 22
MATERIAL
Stainless Steel & Titanium

142 Small Hook Plate 3.5mm



HOLES
4, 5, 6, 7, 8, 10
MATERIAL
Stainless Steel

143 Cloverleaf Plate 3.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MATERIAL
Stainless Steel & Titanium

144 Calcaneal Plate 3.5mm



SIZE
Small, Medium, Large
MATERIAL
Stainless Steel

145 Reconstruction Plate 3.5mm (Thin) Round Hole




HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24
MATERIAL
Stainless Steel & Titanium

453 Pelvic Reconstruction Plate 3.5mm Curved



HOLES
6, 7, 8, 9, 10, 12, 14, 16, 18, 20
MATERIAL
Stainless Steel

Drill Bits for Quick Coupling T Handle




Code No.	Diameter	Length
601.005	1.8mm	125mm
601.031	2.0mm	145mm
601.021	2.3mm	130mm
601.023	2.5mm	165mm
601.024	2.7mm	165mm
601.019	2.8mm	165mm
601.032	1.8mm	110mm
601.033	2.0mm	110mm

603.001 Quick Coupling T Handle



603.027 Tap 2.7mm Cortex Screw for Quick Coupling
603.035 Tap 3.5mm Cortex Screw 20TPI for Quick Coupling
603.040 Tap 4.0mm Cancellous Screw for Quick Coupling



734.024 Tap 2.4mm Locking Screw for Quick Coupling
734.027 Tap 2.7mm Locking Screw for Quick Coupling
734.035 Tap 3.5mm Locking Screw for Quick Coupling



606.035 Counter Sink Shaft for 3.5mm



660.010 Triple Drill Guide 2.0mm With 3hole & Opposite Side 1hole



605A.024 Universal Drill And Tap Sleeve 2.4/1.8mm
605A.027 Universal Drill And Tap Sleeve 2.7/2.0mm
605A.035 Universal Drill And Tap Sleeve 3.5/2.5mm



607.035 DCP Drill Sleeve 3.5mm for use 2.5mm Drill




733.024 LCP Drill Sleeve 2.4mm for Drill Bits 1.8mm
733.027 LCP Drill Sleeve 2.7mm for Drill Bits 2.3mm
733.035 LCP Drill Sleeve 3.5mm for Drill Bits 2.8mm



733.020 LCP Drill Sleeve for variable angle plate 2.4mm for Drill Bits 1.8mm



609.005 Depth Guage 50mm Length for 2.4/2.7mm Screw
609.004 Depth Guage for 2.4mm To 2.7mm Screw Length 60mm
609.002 Depth Guage for 3.5mm To 4.0mm Screw Length 80mm



609.008 Open Measuring Device



610.002 Screw Forceps Self Holding



735.06 Torque Limit Adapter 0.8 Nm
735.07 Torque Limit Adapter 1.5 Nm



614.020 Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws
614.025 Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws



614.T08 Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws
614.T15 Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws




616A.002 Bending Iron Small for Plates 2.7 and 3.5mm
616B.002 Bending Iron Small for Plates 2.7 and 3.5mm



617.001 Sharp Hook



660.013 K Wire Bender Iron



660.014 Universal Wire Cutter/Bender/Pilers



687.144 Self-centering Bone Holding Forceps Length 144mm
687.191 Self-centering Bone Holding Forceps Length 191mm



688.146 Reduction Forceps Serrated jaws Length 146mm



689.126 Reduction Forceps With Points Length 126mm



706.008 Retractor 8mm wide
706.015 Retractor 15mm wide



711.001 Periosteal Elevator Curved Blade 6mm wide



738.035 LCP Plate Holder 3.5mm Length 100mm



619.035 Screw Remover With Quick coupling 2.5mm Hex



612.011 Quick Coupling Stright Handle



655.006 Bone Curette Small 4mm x 6mm



689.140 Reduction Forceps With Points Length 140mm



689.205 Reduction Forceps With Points Length 205mm



733.021 Outer Sleeve 6.0/5.0 for Plate
733.022 Drill Sleeve 2.8mm
733.023 Sleeve for K Wire 1.6mm



612A.025 Screw Driver for Holding Sleeve



805.007 4mm Tommy Bar



616.013 Universal Plate Bender



328B.15 K Wire (Double Side Trocar Tip) 1.5mm x 150mm
328B.18 K Wire (Double Side Trocar Tip) 1.8mm x 150mm
328B.20 K Wire (Double Side Trocar Tip) 2.0mm x 150mm



609.006 Measuring Device 40mm Length for 2.4/2.7mm Screw



613A.025 Holding Sleeve for Locking screws 3.5/4.0mm
613B.025 Holding Sleeve for Non Locking screws 3.5/4.0mm



613C.027 Holding Sleeve for Locking screws 2.4/2.7mm
613D.027 Holding Sleeve for Non Locking screws 2.7mm



603A.035 Tap 3.5mm x 110mm for Quick Coupling
603A.040 Tap 4.0mm x 110mm for Quick Coupling




614.T08A Shaft for Star Screw Driver Long T08 Tip for 2.4/2.7mm screws



SAGC.70 Small Fragment Locking Instrument Basic Set





Instruments

Code No.	Description	Qty.
601.005	Drill Bits 1.8mm x 125mm for Quick Coupling T Handle	2
601.021	Drill Bits 2.3mm x 130mm for Quick Coupling T Handle	2
601.023	Drill Bits 2.5mm x 165mm for Quick Coupling T Handle	2
601.024	Drill Bits 2.7mm x 165mm for Quick Coupling T Handle	2
601.031	Drill Bits 2.0mm x 145mm for Quick Coupling T Handle	2
601.019	Drill Bits 2.8mm x 165mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.027	Tap 2.7mm Cortex Screw For Quick Coupling	1
603.035	Tap 3.5mm Cortex Screw 20TPI For Quick Coupling	1
603.040	Tap 4.0mm Cancellous Screw For Quick Coupling	1
734.024	Tap 2.4mm Locking Screw For Quick Coupling	1
734.027	Tap 2.7mm Locking Screw For Quick Coupling	1
734.035	Tap 3.5mm Locking Screw For Quick Coupling	1
606.035	Counter Sink Shaft For 3.5mm	1
660.010	Triple Drill Guide 2.0mm With 3hole & Opposite Side 1hole	1
605A.024	Universal Drill And Tap Sleeve 2.4/1.8mm	1
605A.027	Universal Drill And Tap Sleeve 2.7/2.0mm	1
605A.035	Universal Drill And Tap Sleeve 3.5/2.5mm	1
607.035	DCP Drill Sleeve 3.5mm for use 2.5mm Drill	1
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	1
733.035	LCP Drill Sleeve 3.5mm, For Drill Bits 2.8mm	2

Instruments

Code No.	Description	Qty.
733.020	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm	1
609.004	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm	1
609.002	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm	1
610.002	Screw Forceps Self Holding	1
612A.025	Screw Driver for Holding Sleeve	1
613A.025	Holding Sleeve for Locking screws 3.5/4.0mm	1
613B.025	Holding Sleeve for Non Locking screws 3.5/4.0mm	1
612.011	Quick Coupling Stright Handle	1
735.06	Torque Limit Adapter 0.8 Nm	1
735.07	Torque Limit Adapter 1.5 Nm	1
614.025	Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws	1
614.T15	Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws	1
614.T08	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
617.001	Sharp Hook	1
613C.027	Holding Sleeve for Locking screws 2.4/2.7mm	1
613D.027	Holding Sleeve for Non Locking screws 2.7mm	1
733.021	Outer Sleeve 6.0/5.0 for Plate	2
733.022	Drill Sleeve 2.8mm	2
733.023	Sleeve for K Wire 1.6mm	2
609.008	Open Measuring Device	1

SAGC.72 Small Fragment Screw Set






Implants

Code No.	Description	Qty.
198	2.4mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	3
199	2.7mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	3
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm	5
148	4mm Locking Cancellous Screws (Fully Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3

Implants

Code No.	Description	Qty.
458	2.7mm Cortex Screws (Self Tapping) Star Head Length : 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm	3
075	2.7mm Cortex Screws (Self Tapping) Length : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm	3
451	Cortex Screw 3.5mm (Self Tapping) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	5
130	4.0mm Cancellous Screws (Short Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm	2
131	4.0mm Cancellous Screws (Fully Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm	2
125.01	Washer 10.0mm For Small Screws 10mm/4.6mm	5

SAGC.16 Small Fragment Locking Instrument Set



Instruments

Code No.	Description	Qty.
601.005	Drill Bits 1.8mm x 125mm for Quick Coupling T Handle	2
601.031	Drill Bits 2.0mm x 145mm for Quick Coupling T Handle	2
601.021	Drill Bits 2.3mm x 130mm for Quick Coupling T Handle	2
601.023	Drill Bits 2.5mm x 165mm for Quick Coupling T Handle	2
601.024	Drill Bits 2.7mm x 165mm for Quick Coupling T Handle	2
601.019	Drill Bits 2.8mm x 165mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.027	Tap 2.7mm Cortex Screw For Quick Coupling	1
605A.024	Universal Drill And Tap Sleeve 2.4/1.8mm	1
605A.027	Universal Drill And Tap Sleeve 2.7/2.0mm	1
605A.035	Universal Drill And Tap Sleeve 3.5/2.5mm	1
606.035	Counter Sink for 3.5mm	1
607.035	DCP Drill Sleeve 3.5mm for use 2.5mm Drill	1
609.002	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm	1
609.004	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm	1
609.008	Open Measuring Device	1
610.002	Screw Forceps Self Holding	1
612.011	Quick Coupling Stright Handle	1
614.025	Shaft Small Hexagonal Screw Driver 2.5mm Tip	1
616.013	Universal Plate Bender	1
617.001	Sharp Hook	1
619.035	Screw Remover With Quick coupling 2.5mm Hex	1
655.006	Bone Curette Small 4mm x 6mm	1
660.010	Triple Drill Guide 2.0mm with 3hole Opposite side 1hole	1
660.013	K Wire Bender Iron	1
660.014	Universal Wire Cutter/Bender/Pilers	1
687.144	Self-centering Bone Holding Forceps Length 144mm	1
687.191	Self-centering Bone Holding Forceps Length 191mm	1
688.146	Reduction Forceps Serrated jaws Length 146mm	2
689.126	Reduction Forceps With Points Length 126mm	1
689.140	Reduction Forceps With Points Length 140mm	1
689.205	Reduction Forceps With Points Length 205mm	1
706.008	Retractorl 8mm wide	2
706.015	Retractor 15mm wide	2
711.001	Periosteal Elevator Curved Blade 6mm wide	1
733.020	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm	1
733.021	Outer Sleeve 6.0/5.0 for Plate	2
733.022	Drill Sleeve 2.8mm	2
733.023	Sleeve for K Wire 1.6mm	2
733.024	LCP Drill Sleeve 2.4mm, For Drill Bits 1.8mm	2
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
733.035	LCP Drill Sleeve 3.5mm, For Drill Bits 2.8mm	2
734.024	Tap 2.4mm Locking Screw For Quick Coupling	1
734.027	Tap 2.7mm Locking Screw For Quick Coupling	1
734.035	Tap 3.5mm Locking Screw For Quick Coupling	1
735.06	Torque Limit Adapter 0.8 Nm	1
735.07	Torque Limit Adapter 1.5 Nm	1
738.035	LCP Plate Holder 3.5mm Length 100mm	1

Instruments

Code No.	Description	Qty.
603A.035	Tap 3.5mm x 110mm for Quick Coupling	1
603A.040	Tap 4.0mm x 110mm for Quick Coupling	1
612A.025	Screw Driver for Holding Sleeve	1
613A.025	Holding Sleeve for Locking screws 3.5/4.0mm	1
613B.025	Holding Sleeve for Non Locking screws 3.5/4.0mm	1
614.T08	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws	1
614.T15	Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
616A.002	Bending Iron Small for Plates 2.7 and 3.5mm	1
616B.002	Bending Iron Small for Plates 2.7 and 3.5mm	1
805.007	4mm Tommy Bar	1
328B.15	K Wire (Double Side Trocar Tip) 1.5mm x 150mm	10
328B.18	K Wire (Double Side Trocar Tip) 1.8mm x 150mm	10
328B.20	K Wire (Double Side Trocar Tip) 2.0mm x 150mm	10
613C.027	Holding Sleeve for Locking screws 2.4/2.7mm	1
613D.027	Holding Sleeve for Non Locking screws 2.7mm	1

Implants

Code No.	Description	Qty.
198	2.4mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	5
199	2.7mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm	5
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm	5
148	4mm Locking Cancellous Screws (Fully Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3
459	2.4mm Cortex Screws (Self Tapping) Star Head Length : 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm	5
075	2.7mm Cortex Screws (Self Tapping) Length : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm	3
451	Cortex Screw 3.5mm (Self Tapping) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	5
130	4.0mm Cancellous Screws (Short Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm	2
131	4.0mm Cancellous Screws (Fully Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm	2
125.01	Washer 10.0mm For Small Screws 10mm/4.6mm	5

SAGC.16A Small Fragment Locking Instrument and Universal Implant Set



Instruments

Code No.	Description	Qty.
601.005	Drill Bits 1.8mm x 125mm for Quick Coupling T Handle	2
601.031	Drill Bits 2.0mm x 145mm for Quick Coupling T Handle	2
601.021	Drill Bits 2.3mm x 130mm for Quick Coupling T Handle	2
601.023	Drill Bits 2.5mm x 165mm for Quick Coupling T Handle	2
601.024	Drill Bits 2.7mm x 165mm for Quick Coupling T Handle	2
601.019	Drill Bits 2.8mm x 165mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.027	Tap 2.7mm Cortex Screw For Quick Coupling	1
605A.024	Universal Drill And Tap Sleeve 2.4/1.8mm	1
605A.027	Universal Drill And Tap Sleeve 2.7/2.0mm	1
605A.035	Universal Drill And Tap Sleeve 3.5/2.5mm	1
606.035	Counter Sink for 3.5mm	1
607.035	DCP Drill Sleeve 3.5mm for use 2.5mm Drill	1
609.002	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm	1
609.004	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm	1
609.008	Open Measuring Device	1
610.002	Screw Forceps Self Holding	1
612.011	Quick Coupling Stright Handle	1
614.025	Shaft Small Hexagonal Screw Driver 2.5mm Tip	1
616.013	Universal Plate Bender	1
617.001	Sharp Hook	1
619.035	Screw Remover With Quick coupling 2.5mm Hex	1
655.006	Bone Curette Small 4mm x 6mm	1
660.010	Triple Drill Guide 2.0mm with 3hole Opposite side 1hole	1
660.013	K Wire Bender Iron	1
660.014	Universal Wire Cutter/Bender/Pilers	1
687.144	Self-centering Bone Holding Forceps Length 144mm	1
687.191	Self-centering Bone Holding Forceps Length 191mm	1
688.146	Reduction Forceps Serrated jaws Length 146mm	2
689.126	Reduction Forceps With Points Length 126mm	1
689.140	Reduction Forceps With Points Length 140mm	1
689.205	Reduction Forceps With Points Length 205mm	1
706.008	Retractorl 8mm wide	2
706.015	Retractor 15mm wide	2
711.001	Periosteal Elevator Curved Blade 6mm wide	1
733.020	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm	1
733.021	Outer Sleeve 6.0/5.0 for Plate	2
733.022	Drill Sleeve 2.8mm	2
733.023	Sleeve for K Wire 1.6mm	2
733.024	LCP Drill Sleeve 2.4mm, For Drill Bits 1.8mm	2
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
733.035	LCP Drill Sleeve 3.5mm, For Drill Bits 2.8mm	2
734.024	Tap 2.4mm Locking Screw For Quick Coupling	1
734.027	Tap 2.7mm Locking Screw For Quick Coupling	1
734.035	Tap 3.5mm Locking Screw For Quick Coupling	1
735.06	Torque Limit Adapter 0.8 Nm	1
735.07	Torque Limit Adapter 1.5 Nm	1
738.035	LCP Plate Holder 3.5mm Length 100mm	1

Instruments

Code No.	Description	Qty.
603A.035	Tap 3.5mm x 110mm for Quick Coupling	1
603A.040	Tap 4.0mm x 110mm for Quick Coupling	1
612A.025	Screw Driver for Holding Sleeve	1
613A.025	Holding Sleeve for Locking screws 3.5/4.0mm	1
613B.025	Holding Sleeve for Non Locking screws 3.5/4.0mm	1
614.T08	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws	1
614.T15	Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
616A.002	Bending Iron Small for Plates 2.7 and 3.5mm	1
616B.002	Bending Iron Small for Plates 2.7 and 3.5mm	1
805.007	4mm Tommy Bar	1
328B.15	K Wire (Double Side Trocar Tip) 1.5mm x 150mm	10
328B.18	K Wire (Double Side Trocar Tip) 1.8mm x 150mm	10
328B.20	K Wire (Double Side Trocar Tip) 2.0mm x 150mm	10
613C.027	Holding Sleeve for Locking screws 2.4/2.7mm	1
613D.027	Holding Sleeve for Non Locking screws 2.7mm	1

Implants

Code No.	Description	Qty.
199	2.7mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm	5
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm	5
148	4mm Locking Cancellous Screws (Fully Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3
451	Cortex Screw 3.5mm (Self Tapping) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	5
130	4.0mm Cancellous Screws (Short Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm	2
131	4.0mm Cancellous Screws (Fully Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm	2
125.01	Washer 10.0mm For Small Screws 10mm/4.6mm	5

SAGC.60 Small Locking Implant Set



Implants

Code No.	Description	Qty.
457	Locking One - Third Tubular Plate 3.5mm Holes : 5, 6, 7, 8, 10, 12	1
149	Small Locking Compression Plate 3.5mm Holes : 5, 6, 7, 8, 9, 10, 12, 14	1
152	Locking Reconstruction Plate 3.5mm Holes : 5, 6, 7, 8, 9, 10, 12, 14, 16	1
186	Locking Reconstruction (Thin) Plate 3.5mm Holes : 4, 5, 6, 7, 8, 9, 10, 12, 14	1

SAGC.69A Locking Distal Tibia Plate 3.5mm Set - A



Implants

Code No.	Description	Qty.
154	Locking Medial Distal Tibia Plate 3.5mm (Left & Right) Holes : 4, 6, 8, 10, 12	1
163	Locking Medial Distal Tibia Plate 3.5mm without tab (Left & Right) Holes : 4, 6, 8, 10, 12	1
174	Locking Anterolateran Distal Tibia Plate 3.5mm (Left & Right) Holes : 5, 6, 7, 8, 9, 10, 12	1

SAGC.69B Locking Distal Tibia Plate 3.5mm Set - B



Implants

Code No.	Description	Qty.
454	Locking PILON Tibia Plate 3.5mm Holes : 7, 8, 9	1
167	Locking Calcaneal Plate 3.5mm (Left & Right) Size : Small, Medium	1
175	Locking Distal Febula Plate 3.5mm Holes : 3, 4, 5, 6, 7, 8	1
175A	Locking Distal Febula Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8	1


SAGC.61 Locking Proximal Humeral Plate 3.5mm Set



Implants

Code No.	Description	Qty.
156	Locking Long Head Proximal Humeral Plate 3.5mm Holes : 3, 4, 5, 6	1
156A	Locking Long Head Proximal Humeral Plate 3.5mm (Broad) Holes : 7, 8, 9, 10, 12	1
153	Locking Proximal Humeral Plate 3.5mm Holes : 4, 5, 6	1

SAGC.62A Locking Distal Humeral Plate 3.5mm Set

Implants

Code No.	Description	Qty.
157	Locking Distal Humeral Plate with Support 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10	1
158	Locking Distal Humeral Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10	1
159	Locking Medial Distal Humeral Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10	1

SAGC.62B Locking Distal Humerus Extra Articular 3.5mm Set




Implants

Code No.	Description	Qty.
185	Locking Distal Humerus Extra Articular 3.5mm Plate (Left & Right) Holes : 4, 6, 8, 10, 12, 14	1

SAGC.63 Locking Superior Anterior Clavicle Plate 3.5mm Set




Implants

Code No.	Description	Qty.
160	Locking Superior Anterior Clavicle Plate 3.5mm (Left & Right) Holes : 6, 7, 8	1
161	Locking Superior Anterior Clavicle Plate with Lateral Extension 3.5mm (Left & Right) Holes : 4, 6, 8	1
162	Locking Clavicle Hook Plate 3.5mm (Left & Right) Hook Depth : 12mm, 15mm, 18mm Holes : 4, 5, 6, 7	1

SAGC.59B Locking Medial Proximal Tibia Plate Set

PHOTO NOT AVAILABLE

Implants

Code No.	Description	Qty.
184	3.5mm Locking Medial Proximal Tibia Plate (Left & Right) Holes : 4, 5, 6, 7, 8, 9, 10, 12	1

SAGC.64 Locking Distal Radius Plate Set

PHOTO NOT AVAILABLE

Implants


Code No.	Description	Qty.
168	Locking XVA Volar Distal Radius Plate 2.7mm (Head 6hole) Narrow (Left & Right) Holes : 2, 3, 4, 5	1
168A	Locking XVA Volar Distal Radius Plate 2.7mm (Head 6hole) (Left & Right) Holes : 2, 3, 4, 5	1
168B	Locking XVA Volar Distal Radius Plate 2.7mm (Head 7hole) (Left & Right) Holes : 2, 3, 4, 5	1
150	Locking Compression T Plate, Right Angled 3.5mm Holes : 3, 4, 5, 6, 7	1
151	Locking Compression T Plate, Oblique Angled 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7	1

Implants

Code No.	Description	Qty.
187	Locking Distal Radius Plate 2.7mm (Left & Right) Holes : 3, 5	1
188	Locking Distal Radius Buttress Plate 2.7mm (Head 5hole) (Left & Right) Holes : 3	1
189	Locking Distal Radius Plate 2.7mm Extra Articaular (Head 5hole) (Left & Right) Holes : 3, 5	1
190	Locking Distal Radius Plate 2.7mm Extra Articaular (Head 4hole) (Left & Right) Holes : 3, 5	1

SAGC.65 Locking Proximal Tibia Plate 3.5mm Set






Implants

Code No.	Description	Qty.
182	Locking Posterior Medial Proximal Tibia Plate 3.5mm Holes : 1, 2, 3, 4, 5, 6, 7, 8, 9, 10	1
196	Locking Anatomical Proximal Tibia Plate 3.5mm (Left & Right) Holes : 4, 6, 8, 10, 13	1

SAGC.59A Locking Proximal Radius Plate Set






Implants

Code No.	Description	Qty.
172	Locking Proximal Radius Neck Plate 2.7mm Holes : 2, 3, 4	1
173	Locking Proximal Radius Rim Plate 2.7mm (Left & Right) Holes : 2, 3, 4	1
171	Locking Olecranon Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8	1
164	3.5mm Locking Hook Plate Holes : 3	2

SAGC.42 Distal Radius 2.7mm Implants & Instruments Set




Implants

Code No.	Description	Qty.
166	Locking Volar Distal Radius Plate 2.7mm (Left & Right)	
	Holes : 3, 4, 5, 6	1
168A	Locking XVA Volar Distal Radius Plate 2.7mm	
	(Head 6hole) (Left & Right)	
	Holes : 2, 3, 4, 5	1
168B	Locking XVA Volar Distal Radius Plate 2.7mm	
	(Head 7hole) (Left & Right)	
	Holes : 2, 3, 4, 5	1
172	Locking Proximal Radius Neck Plate 2.7mm	
	Holes : 2, 3, 4	1
173	Locking Proximal Radius Rim Plate 2.7mm (Left & Right)	
	Holes : 2, 3, 4	1
187	Locking Distal Radius Plate 2.7mm (Left & Right)	
	Holes : 3, 5	1
188	Locking Distal Radius Buttress Plate 2.7mm	
	(Head 5hole) (Left & Right)	
	Holes : 3	1
189	Locking Distal Radius Plate 2.7mm Extra Articaular	
	(Head 5hole) (Left & Right)	
	Holes : 3, 5	1
190	Locking Distal Radius Plate 2.7mm Extra Articaular	
	(Head 4hole) (Left & Right)	
	Holes : 3, 5	1
191	Locking Distal Radius Plate 2.7mm Straight	
	Holes : 5, 6	1
192	Locking Distal Radius L Plate 2.7mm	
	(Head 2hole) (Left & Right)	
	Holes : 3, 4	1
193	Locking Distal Radius L Plate 2.7mm	
	(Head 3hole) (Left & Right)	
	Holes : 3, 4	1
194	Locking Distal Radius L Plate Oblique Angled 2.7mm	
	(Head 3hole) (Left & Right)	
	Holes : 3, 4	1
195	Locking Distal Radius T Plate 2.7mm (Head 3hole)	
	Holes : 3, 4	1

Implants

Code No.	Description	Qty.
075	2.7mm Cortex Screws (Self Tapping)	
	Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm,	
	22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm	5
165	2.7mm Locking Compression Screws	
	Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm,	
	22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm	5
459	2.4mm Cortex Screws (Self Tapping) Star Head	
	Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm,	
	22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm	4
198	2.4mm Locking Compression Screws Star Head	
	Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm,	
	22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm	5
198V	2.4mm Variable Locking Compression Screws Star Head	
	Length : 12mm, 14mm, 16mm, 18mm, 20mm, 22mm,	
	24mm, 26mm, 28mm, 30mm	4

Instruments

Code No.	Description	Qty.
733.020	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm	1
733.024	LCP Drill Sleeve 2.4mm, For Drill Bits 1.8mm	1
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
601.032	Drill Bits 1.8mm x 110mm for Quick Coupling T Handle	2
601.033	Drill Bits 2.0mm x 110mm for Quick Coupling T Handle	2
601.021	Drill Bits 2.3mm x 150mm for Quick Coupling T Handle	2
614.T08A	Shaft for Star Screw Driver Long T08 Tip for 2.4/2.7mm screws	2
614.T08	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws	1
614.025	Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
735.06	Torque Limit Adapter 0.8 Nm	1
612.011	Quick Coupling Stright Handle	1
609.005	Depth Guage 50mm Length for 2.4/2.7mm Screw	1
603.001	Quick Coupling T Handle	1
706.008	Retractorl 8mm wide	2
689.205	Reduction Forceps With Points Length 205mm	1
689.140	Reduction Forceps With Points Length 140mm	1
711.001	Periosteal Elevator Curved Blade 6mm wide	1
605A.024	Universal Drill And Tap Sleeve 2.4/1.8mm	1
605A.027	Universal Drill And Tap Sleeve 2.7/2.0mm	1
609.006	Measuring Device 40mm Length for 2.4/2.7mm Screw	1
613C.027	Holding Sleeve for Locking screws 2.4/2.7mm	1
613D.027	Holding Sleeve for Non Locking screws 2.7mm	1

SAGC.19 Small Fragment Screw 2.7/3.5/4.0mm Screw Set



Implants

Code No.	Description	Qty.
076	2.7mm Cortex Screws Length : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
165	2.7mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
126	3.5mm Cortex Screws (20TPI) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm	6

Implants

Code No.	Description	Qty.
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm	6
147	4mm Locking Cancellous Screws (Short Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm	3
148	4mm Locking Cancellous Screws (Fully Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3

SAGC.74 2.7/3.5mm Distal Radius Implant & Instrument Set



Instruments

Code No.	Description	Qty.
601.005	Drill Bits 1.8mm x 125mm for Quick Coupling T Handle	2
601.031	Drill Bits 2.0mm x 145mm for Quick Coupling T Handle	2
601.021	Drill Bits 2.3mm x 130mm for Quick Coupling T Handle	2
601.024	Drill Bits 2.7mm x 165mm for Quick Coupling T Handle	2
601.019	Drill Bits 2.8mm x 165mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.027	Tap 2.7mm Cortex Screw For Quick Coupling	1
603.035	Tap 3.5mm Cortex Screw For Quick Coupling	1
609.002	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm	1
609.004	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm	1
612.020	Small Hexagonal Screw Driver 2.0mm Tip	1
612.025	Small Hexagonal Screw Driver 2.5mm Tip	1
735.01	Limit Screw Driver handle without shaft for 2.4/2.7mm screws	1
735.02	Limit Screw Driver handle without shaft for 3.5/4.0mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
614.025	Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws	1
614.T08A	Shaft for Star Screw Driver Long T08 Tip for 2.4/2.7mm screws	1
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
733.035	LCP Drill Sleeve 3.5mm, For Drill Bits 2.8mm	2
733.020	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm	1
605A.035	Universal Drill And Tap Sleeve 3.5/2.5mm	1

Implants

Code No.	Description	Qty.
076	2.7mm Cortex Screws Length : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
198	2.4mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
165	2.7mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
126	3.5mm Cortex Screws (20TPI) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	4
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	4

SAGC.75 3.5mm Small Implant & Instrument Set



Instruments

Code No.	Description	Qty.
601.021	Drill Bits 2.3mm x 130mm for Quick Coupling T Handle	2
601.024	Drill Bits 2.7mm x 165mm for Quick Coupling T Handle	2
601.019	Drill Bits 2.8mm x 165mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.035	Tap 3.5mm Cortex Screw For Quick Coupling	1
609.002	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm	1
609.004	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm	1
612.025	Small Hexagonal Screw Driver 2.5mm Tip	1
612.020	Small Hexagonal Screw Driver 2.0mm Tip	1
735.01	Limit Screw Driver handle without shaft for 2.4/2.7mm screws	1
735.02	Limit Screw Driver handle without shaft for 3.5/4.0mm screws	1
614.020	Shaft for Hexagonal Screw Driver 2.0mm Tip for 2.4/2.7mm screws	1
614.025	Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws	1
614.T08A	Shaft for Star Screw Driver Long T08 Tip for 2.4/2.7mm screws	1
733.035	LCP Drill Sleeve 3.5mm, For Drill Bits 2.8mm	2
733.027	LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm	2
605A.035	Universal Drill And Tap Sleeve 3.5/2.5mm	1

Implants

Code No.	Description	Qty.
165	2.7mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	4
126	3.5mm Cortex Screws (20TPI) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	4
146	3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	6
148	4mm Locking Cancellous Screws (Fully Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm	4
131	4.0mm Cancellous Screws (Fully Thread) Length : 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	2
307	4.0mm Cannulated Screw (Full Thread) Length : 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm	2

225 5.0mm Locking Compression Screws (Self Tapping)



LENGTH
14mm to 50mm (2mm Increment)
55mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

466 5.0mm Locking Compression Screws (Self Tapping) Star Head



LENGTH
14mm to 50mm (2mm Increment)
55mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

244 5.5mm Locking Cancellous Screw (16mm Th.)



LENGTH
25mm to 100mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

467 5.5mm Locking Cancellous Screw (16mm Th.) Star Head



LENGTH
25mm to 100mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

245 5.5mm Locking Cancellous Screw (32mm Th.)



LENGTH
40mm to 105mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

468 5.5mm Locking Cancellous Screw (32mm Th.) Star Head



LENGTH
40mm to 105mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

246 5.5mm Locking Cancellous Screw (Full Th.)




LENGTH
30mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

246A 5.5mm Locking Cancellous Screw (Full Th.) (Self Tapping)



LENGTH
30mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

469 5.5mm Locking Cancellous Screw (Full Th.) Star Head



LENGTH
30mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

226 6.5mm Locking Cancellous Screw (16mm Th.)



LENGTH
25mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

227 6.5mm Locking Cancellous Screw (32mm Th.)



LENGTH
40mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

228 6.5mm Locking Cancellous Screw (Full Th.)



LENGTH
30mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

322 6.5mm Locking Cannulated Screw (16mm Th.)



LENGTH
30mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

324 6.5mm Locking Cannulated Screw (32mm Th.)



LENGTH
40mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

325 6.5mm Locking Cannulated Screw (Full Th.)



LENGTH
30mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

229 Narrow Locking Compression Plate 4.5mm/5.0mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18
MATERIAL
Stainless Steel & Titanium

230 Broad Locking Compression Plate 4.5mm/5.0mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18
MATERIAL
Stainless Steel & Titanium

231 Locking Reconstruction Plate 4.5mm/5.0mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 22
MATERIAL
Stainless Steel & Titanium



237 Locking Distal Femoral Plate 4.5/5.0mm



HOLES
5, 6, 7, 8, 9, 10, 11, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

238 Locking Condylar Buttress Plate



HOLES
5, 6, 7, 8, 9, 10, 11, 13, 15
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

239 Locking Proximal Femoral Plate



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

239A Locking Proximal Femoral Plate (Head 4hole)



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

247 Locking Medial Distal Femoral Plate 4.5/5.0mm



HOLES
5, 6, 7, 8, 9, 10, 11, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium



232 Locking L-Buttress Plate 4.5/5.0mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

233 Locking T-Buttress Plate 4.5/5.0mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MATERIAL
Stainless Steel & Titanium

234 Locking T- Plate 4.5/5.0mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MATERIAL
Stainless Steel & Titanium

235 Locking Lateral Tibia Plate



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

236 Locking Proximal Tibia Plate 4.5/5.0mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

241 Locking Metaphyseal Plate 3.5mm/4.5mm/5.0mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 11, 12
MATERIAL
Stainless Steel & Titanium

243 Locking Tomo Fix Plate 4.5mm



HOLES
4
SIZE
Small, Standard
MATERIAL
Stainless Steel & Titanium

201 Washer 13.0mm for Large Screws



SIZE
13.0mm
MATERIAL
Stainless Steel & Titanium

204A 3.5mm Malleolar Screw




LENGTH
20mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

204 4.5mm Malleolar Screw



LENGTH
20mm to 110mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

202 4.5mm Cortex Screw




LENGTH
14mm to 50mm (2mm Increment)
55mm to 95mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

452 Cortex Screw 4.5mm (Self Tapping)



LENGTH
14mm to 50mm (2mm Increment)
55mm to 95mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

465 4.5mm Cortex Screw Star Head



LENGTH
14mm to 50mm (2mm Increment)
55mm to 95mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

248 5.5mm Cancellous Screw (16mm Thread)




LENGTH
25mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

249 5.5mm Cancellous Screw (32mm Thread)



LENGTH
40mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

250 5.5mm Cancellous Screw (Full Thread)



LENGTH
20mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

205 6.5mm Cancellous Screw (16mm Thread)



LENGTH
25mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

206 6.5mm Cancellous Screw (32mm Thread)



LENGTH
40mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

207 6.5mm Cancelleous Screw (Full Thread)



LENGTH
20mm to 120mm (5mm Increment)
MATERIAL
Stainless Steel & Titanium

210 Narrow DCP 4.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16
MATERIAL
Stainless Steel & Titanium

211 Narrow LC-DCP 4.5mm




HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16
MATERIAL
Stainless Steel & Titanium

213 Broad DCP 4.5mm




HOLES
5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18
MATERIAL
Stainless Steel & Titanium

214 Broad LC-DCP 4.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16
MATERIAL
Stainless Steel & Titanium

215 T-Buttress Plate 4.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 12, 14
MATERIAL
Stainless Steel & Titanium

216 T-Plate 4.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 12, 14
MATERIAL
Stainless Steel & Titanium

217 L-Buttress Plate 4.5mm



HOLES
3, 4, 5, 6, 7, 8, 9, 10, 12, 14
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

220 Lateral Tibia Head Buttress Plate 4.5mm



HOLES
5, 6, 7, 8, 9, 10, 11, 12, 13
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

221 Condylar Buttress Plate 4.5mm



HOLES
5, 6, 7, 8, 9, 10, 11, 13, 15
ANGLED
Left & Right
MATERIAL
Stainless Steel & Titanium

222 Cobra Head Plate 4.5mm



HOLES
6, 7, 8, 9, 10, 11, 12
MATERIAL
Stainless Steel & Titanium

224 Straight Reconstruction Plate (DC Hole) 4.5mm



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16
MATERIAL
Stainless Steel & Titanium

484 Straight Reconstruction Plate 4.5mm (Thin)



HOLES
4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24
MATERIAL
Stainless Steel & Titanium

Drill Bits for Quick Coupling T Handle



Code No.	Diameter	Length
601.012	3.2mm	195mm
601.013	3.5mm	195mm
601.020	4.3mm	225mm
601.028	4.5mm	225mm

603.001 Quick Coupling T Handle



612.011 Quick Coupling Stright Handle



603.045 Tap for 4.5mm Cortex Screw for Quick Coupling
603.065 Tap 6.5mm Cancellous Screw for Quick Coupling




734.050 Tap 5.0mm Locking Screw For Quick Coupling



606.045 Counter Sink for 4.5mm



605A.045 Universal Drill And Tap Sleeve 4.5/3.2mm
605.065 Drill And Tap Sleeve 6.5/3.2mm




607.045 DCP Drill Sleeve 4.5mm for use 3.2mm Drill




733.050 LCP Drill Sleeve 5.0mm, For Drill Bits 4.3mm
733.065 LCP Drill Sleeve 6.5mm, For Drill Bits 4.5mm



609.003 Depth Gauge for 4.5mm to 6.5mm Screws



610.002 Screw Forceps Self-Holding



612A.035 Screw Driver for Holding Sleeve 3.5mm Tip



735.08 Torque Limit Adapter 4.0Nm




614.035 Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws
614.T25 Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws




616.007 Bending Pliers With Rolls



617.001 Sharp Hook



707.018 Retractor Small 18mm Wide
707.024 Retractor Small 24mm Wide




687.277 Slf-Centering Bone Holding Forceps Length 277mm



688.255 Reduction Forceps Serrated Jaw Length 255mm



689.205 Reduction Forceps With Points length 205mm



738.050 LCP Plate Holder Length 120mm for 4.5mm Plate



613A.035 Holding Sleeve for Locking screws 5.0mm
613B.035 Holding Sleeve for Non Locking screws 4.5mm



328B.18 K Wire (Double Side Trocar Tip) 1.8mm x 150mm
328B.20 K Wire (Double Side Trocar Tip) 2.0mm x 150mm



SAGC.71 Large Fragment Locking Instrument Basic Set





Instruments

Code No.	Description	Qty.
601.012	Drill Bits 3.2mm x 195mm for Quick Coupling T Handle	2
601.013	Drill Bits 3.5mm x 195mm for Quick Coupling T Handle	2
601.020	Drill Bits 4.3mm x 225mm for Quick Coupling T Handle	2
601.028	Drill Bits 4.5mm x 225mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
612.011	Quick Coupling Stright Handle	1
603.045	Tap For 4.5mm Cortex Screw For Quick Coupling	1
603.065	Tap For 6.5mm LCP Cancellous Screw For Quick Coupling	1
734.050	Tap 5.0mm Locking Screw For Quick Coupling	1
606.045	Counter Sink for 4.5mm	1
605A.045	Universal Drill And Tap Sleeve 4.5/3.2mm	1
605.065	Drill And Tap Sleeve 6.5/3.2mm	1
607.045	DCP Drill Sleeve 4.5mm for use 3.2mm Drill	1

Instruments

Code No.	Description	Qty.
733.050	LCP Drill Sleeve 5.0mm, For Drill Bits 4.3mm	2
733.065	LCP Drill Sleeve 6.5mm, For Drill Bits 4.5mm	1
609.003	Depth Gauge for 4.5mm to 6.5mm Screws	1
610.002	Screw Forceps Self-Holding	1
612A.035	Screw Driver for Holding Sleeve 3.5mm Tip	1
735.08	Torque Limit Adapter 4.0Nm	1
614.T25	Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws	1
614.035	Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws	1
617.001	Sharp Hook	1
738.050	LCP Plate Holder Length 120mm for 4.5mm Plate	1
613A.035	Holding Sleeve for Locking screws 5.0mm	1
613B.035	Holding Sleeve for Non Locking screws 4.5mm	1

SAGC.73 Large Fragment Screw Set





Implants

Code No.	Description	Qty.
225	5.0mm Locking Compression Screws (Self Tapping)	
	Length : 14mm, 16mm, 18mm,	3
	20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm,	5
	55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm	3
452	Cortex Screw 4.5mm (Self Tapping)	
	Length : 14mm, 16mm, 18mm,	3
	20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm,	5
	55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3
244	5.5mm Locking Cancellous Screw (16mm Thread)	
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm,	
	95mm, 100mm	2

Implants

Code No.	Description	Qty.
245	5.5mm Locking Cancellous Screw (32mm Thread)	
	Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm,	
	75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm	2
246	5.5mm Locking Cancellous Screw (Full Thread)	
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm	2
205	6.5mm Cancellous Screw (16mm Thread)	
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm,	
	95mm, 100mm, 105mm, 110mm	2
206	6.5mm Cancellous Screw (32mm Thread)	
	Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm,	
	75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm,	
	110mm, 115mm, 120mm	2
201	Washer 13.0mm for Large Screws	5

SAGC.17 Large Fragment Locking Instrument Set



Instruments

Code No.	Description	Qty.
601.012	Drill Bits 3.2mm x 195mm for Quick Coupling T Handle	2
601.013	Drill Bits 3.5mm x 195mm for Quick Coupling T Handle	2
601.020	Drill Bits 4.3mm x 225mm for Quick Coupling T Handle	2
601.028	Drill Bits 4.5mm x 225mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
612.011	Quick Coupling Stright Handle	1
603.045	Tap For 4.5mm Cortex Screw For Quick Coupling	1
603.065	Tap 6.5mm Cancellous Screws for Quick Coupling	1
734.050	Tap 5.0mm Locking Screw For Quick Coupling	1
606.045	Counter Sink for 4.5mm	1
605A.045	Universal Drill And Tap Sleeve 4.5/3.2mm	1
605.065	Drill And Tap Sleeve 6.5/3.2mm	1
607.045	DCP Drill Sleeve 4.5mm for use 3.2mm Drill	1
733.050	LCP Drill Sleeve 5.0mm, For Drill Bits 4.3mm	4
733.065	LCP Drill Sleeve 6.5mm, For Drill Bits 4.5mm	1
609.003	Depth Gauge for 4.5mm to 6.5mm Screws	1
610.002	Screw Forceps Self-Holding	1
612A.035	Screw Driver for Holding Sleeve 3.5mm Tip	1
735.08	Torque Limit Adapter 4.0Nm	1
614.T25	Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws	1
614.035	Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws	1
616.007	Bending Pliers With Rolls	1
617.001	Sharp Hook	1
707.018	Retractor Small 18mm Wide	2
707.024	Retractor Small 24mm Wide	2
687.277	Slf-Centering Bone Holding Forceps Length 277mm	2
688.255	Reduction Forceps Serrated Jaw Length 255mm	2
689.205	Reduction Forceps With Points length 205mm	1
738.050	LCP Plate Holder Length 120mm for 4.5mm Plate	1
613A.035	Holding Sleeve for Locking screws 5.0mm	1
613B.035	Holding Sleeve for Non Locking screws 4.5mm	1
328B.18	K Wire (Double Side Trocar Tip) 1.8mm x 150mm	10
328B.20	K Wire (Double Side Trocar Tip) 2.0mm x 150mm	10

Implants

Code No.	Description	Qty.
225	5.0mm Locking Compression Screws (Self Tapping)	
	Length : 14mm, 16mm, 18mm,	3
	20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm,	5
	55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm	3
452	Cortex Screw 4.5mm (Self Tapping)	
	Length : 14mm, 16mm, 18mm,	3
	20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm,	
	36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm,	5
	55mm, 60mm, 65mm, 70mm, 75mm, 80mm	3
244	5.5mm Locking Cancellous Screw (16mm Thread)	
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm	2
245	5.5mm Locking Cancellous Screw (32mm Thread)	
	Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm,	
	80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm	2
246	5.5mm Locking Cancellous Screw (Full Thread)	
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm,	
	95mm, 100mm, 105mm, 110mm	2
205	6.5mm Cancellous Screw (16mm Thread)	3
	Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm,	
	60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm,	
	95mm, 100mm, 105mm, 110mm	2
206	6.5mm Cancellous Screw (32mm Thread)	
	Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm,	
	75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm,	
	110mm, 115mm, 120mm	2
201	Washer 13.0mm for Large Screws	5

SAGC.66 Large Locking Implant Set



Implants

Code No.	Description	Qty.
229	Narrow Locking Compression Plate 4.5mm/5.0mm	
	Holes : 6, 7, 8, 9, 10, 11, 12, 14, 16	1
230	Broad Locking Compression Plate 4.5mm/5.0mm	
	Holes : 7, 8, 9, 10, 12, 14, 16	1
231	Locking Reconstruction Plate 4.5mm/5.0mm	
	Holes : 6, 7, 8, 9, 10, 11, 12, 14	1

SAGC.67 Large Locking Tibia Implant Set



Implants

Code No.	Description	Qty.
232	Locking L-Buttress Plate 4.5/5.0mm (Left & Right)	
	Holes : 4, 6, 8, 10, 12	1
233	Locking T-Buttress Plate 4.5/5.0mm	
	Holes : 4, 6, 8, 10, 12	1
234	Locking T- Plate 4.5/5.0mm	
	Holes : 4, 6, 8, 10, 12	1
235	Locking Lateral Tibia Plate (Left & Right)	
	Holes : 5, 6, 7, 8, 9, 10, 11, 13	1
234	Locking Proximal Tibia Plate 4.5/5.0mm (Left & Right)	
	Holes : 4, 6, 8, 10, 12, 14	1
235	Locking Tomo Fix Plate 4.5mm 4hole	
	Size : Small, Standard	1

SAGC.68 Large Locking Femoral Implant Set






Implants

Code No.	Description	Qty.
237	Locking Distal Femoral Plate 4.5/5.0mm (Left & Right)	
	Holes : 5, 7, 9, 11, 13	1

SAGC.68A Large Locking Proximal Femoral Implant Set





Implants

Code No.	Description	Qty.
239	Locking Proximal Femoral Plate (Left & Right)	
	Holes : 4, 6, 8, 10, 12	1
239A	Locking Proximal Femoral Plate (head 4hole) (Left & Right)	
	Holes : 4, 6, 8, 10, 12	1

SAGC.18 Large Fragment screw 4.5/ 5.0/5.5mm Screw Set







Implants

Code No.	Description	Qty.
202	4.5mm Cortex Screw Length : 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm	5
225	5.0mm Locking Compression Screws (Self Tapping) Length : 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm	5
244	5.5mm Locking Cancellous Screw (16mm Thread) Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm	3
245	5.5mm Locking Cancellous Screw (32mm Thread) Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm	3
246	5.5mm Locking Cancellous Screw (Full Thread) Length : 25mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm	3

SAGC.76 4.5/5.0mm Large Implant & Instrument Set







Instruments

Code No.	Description	Qty.
601.012	Drill Bits 3.2mm x 195mm for Quick Coupling T Handle	2
601.013	Drill Bits 3.5mm x 195mm for Quick Coupling T Handle	2
601.020	Drill Bits 4.3mm x 225mm for Quick Coupling T Handle	2
601.028	Drill Bits 4.5mm x 225mm for Quick Coupling T Handle	2
603.001	Quick Coupling T Handle	1
603.045	Quick Coupling Stright Handle	1
609.003	Tap For 4.5mm Cortex Screw For Quick Coupling	1
612.035	Tap 6.5mm Cancellous Screws for Quick Coupling	1
735.03	Tap 5.0mm Locking Screw For Quick Coupling	1
614.035	Counter Sink for 4.5mm	1
733.050	Universal Drill And Tap Sleeve 4.5/3.2mm	2
733.065	Drill And Tap Sleeve 6.5/3.2mm	1
605A.045	DCP Drill Sleeve 4.5mm for use 3.2mm Drill	1

Implants

Code No.	Description	Qty.
202	4.5mm Cortex Screw Length : 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm	5
225	5.0mm Locking Compression Screws (Self Tapping) Length : 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm	5
246	5.5mm Locking Cancellous Screw (Full Thread) Length : 25mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm	3
325	6.5mm Locking Cannulated Screw (Full Thread) Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	2
312	6.5mm Cannulated Screw (Full Thread) Length : 25mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	2



HARDIK
INTERNATIONAL PVT. LTD.

House of Ortho Tools

Hardik International Pvt. Ltd.

Plot No. G-2041/42/A, Kishan Gate, Lodhika G.I.D.C.,
Kalawad Road, Metoda, RAJKOT-360 021, (INDIA).

info@hardikinternational.com
www.hardikinternational.com

: +91 97370 47470/1/2/4 | : hardikinternational

Follow Us :

© Hardik International Pvt. Ltd. V03 150725 Small and Large Fragment